

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	142837	(key or keyset or password or passphrase) with (profile or set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:50
S2	2806	S1 and (network or lan or pack or wan) with (analy\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:16
S3	1080	S2 and ((access adj point) or infrastructure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:20
S4	712	S3 and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:51
S5	14117	(380/255,259,270,33-34,277.ccls. or 709/223-225.ccls. or 726/2-6.ccls.) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:18
S6	103	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:19
S7	28	S6 and (access adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:20
S8	2324	S1 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:56

S9	199	S8 and (choos\$3 or select\$3 or load\$3) with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:57
S10	44	S9 and ((encrypt\$3 or encipher \$3) with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:00
S11	4	S10 and (profile with (two or multiple or many) with (key or password or passphrase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:00
S12	132743	(key or keyset or wep) with (profile or set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:03
S13	307	(wep) with (profile or set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:03
S14	94	S13 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:51
S15	10144	(network or wireless) with analyzer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:51
S16	0	S15 and (many or multiple) with (key adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:52
S17	72	S15 and (decrypt\$3 or decipher \$3) with (traffic or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:52

S18	35	S17 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:10
S19	23	S18 and (wireless or (access adj point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:09
S20	74340	(load\$3 or select\$3) with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S21	10	S20 and (profile) with (contain \$3) with (many or multiple) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S22	8	S21 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:12
S23	1824	(load\$3 or select\$3) with (key adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S24	188	(load\$3 or select\$3) with (key adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S25	142	S24 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:12
S26	74605	(network or lan or wan or wireless) with (sniffer or analyzer or monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:57

S27	4320	S26 and (key with (set or list or profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:18
S28	2866	S27 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:13
S29	0	S28 and ((access adj point) with (multiple or different or unique) with (profile or list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:19
S30	542	S28 and (encrypt\$3 or encipher \$3) with (list or profile or set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:20
S31	370	S30 and (decrypt\$3 or decipher \$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:21
S32	13	S31 and (two or multiple) with (access adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:23
S33	64	S31 and ((monitor\$3 or analyz \$3) with (two or multiple or different) with (network or lan or wan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:24
S34	797	(key or keyset or password or passphrase) with (table or file) with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:56
S35	141	S34 and (network or lan or wan or wireless or wlan) with (sniffer or analyzer or monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:57

S36	21	S34 and (wireless or wlan) with (sniffer or analyzer or monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:57
S37	10	S36 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:59
S38	108	S35 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:13
S39	9	(profile) with (decrypt\$3 or decipher\$3) with (packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:13
S40	5	S39 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:13
S41	93	(access adj point) with (unique or different) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:40
S42	41	S41 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:41
S43	6948	sub adj (network or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:40
S44	364	S43 and (different or unique) with (wep or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:40

S45	218	S44 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:42
S46	70	S45 and (access adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:42
S47	304	analyz\$3 with (decrypt\$2 or decipher\$2) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:50
S48	100	S47 and (identify\$3 or determin \$3) with (encrypt\$2 or encipher \$2) with (data or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:51
S49	65	S48 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 17:51
S50	6	("20010024953" or "6697337" or "20030219129").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:36
S51	17105	(380/255,259,270,33-34,277. ccls. or 709/223-225.ccls. or 726/2-6.ccls. or 713/150.ccls.) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:56
S52	900	(profile with (two or multiple or many or plural\$3) with (key or password or passphrase)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:01
S53	41	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:01

S54	27	(profile with (key adj1 set)) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:26
S55	2	"20030037033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:38
S56	3752	(manual\$4 with (choos\$3 or select\$3 or pick\$3) with (profile or key)) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 10:52
S57	17130	(380/255,259,270,33-34,277.ccls. or 709/223-225.ccls. or 726/2-6.ccls. or 713/150.ccls.) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 10:52
S58	43	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 10:52
S59	58	S56 and (wireless or mobile) with (lan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 11:02
S60	0	manang\$3 with (key or (key adj2 set)) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:14
S61	96201	(choos\$3 or pick\$3 or select \$3) with (key or (key adj2 set)) and @ad< "20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:14
S62	9372	S61 and (profile or \$1bss or \$1ssid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:15

S63	5581	S62 and (user with (choos\$3 or pick\$3 or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:16
S64	2726	S63 and (display\$3 with (profile or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:17
S65	2	"20010023446".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:32
S66	2	"20030120605".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 13:33

2/ 24/ 2009 3:01:40 PM

C:\ Documents and Settings\ppich\ My Documents\ EAST\ Workspaces\ 10673698.wsp